



Welleader

Welleader



ZHONGSHAN WEICHEN SANITRAY WARE CO. , LTD.

Address : Changmingshui Industrial Park, No. 23, Changyi Road , Wuguishan, Zhongshan City, Guangdong, China

Tel : +86-760-22818339 Fax: +86-760-22818339

Email : cnweichen0760@163.com / sales01@top-welleader.com

Website : <http://www.top-welleader.com>

KINDLY REMIND : The products update constantly, if not in conformity with real object, please refer to the real object.

From the world of **Welleader**

COMPANY PROFILE.

Since 2008
Located in Guangdong province, which is the largest production bases in China.
18,000 square meters and own more than 100 employees.
Annual sales more than USD13,500,000, shower door monthly production is 30,000 sets, 60% products exported to all over the world.
ISO 9001 system management to control product quality reach Euro, Russia and America quality standards.
Global sales network reaching Poland, Ireland, France, Norway, Italy, America, Australia, Thailand and other 20 countries and regions.



MISSION.

Welleader is dedicated to making our shower door to be exquisite. We pay attention not only the appearance and function of each shower door, but also emphasis on connotation and elegant details. Welleader is to be one of the most comprehensive and best supplier and we are committed to promoting a standardised and professional shower door in China.



ENVIRONMENT.

Welleader realize the important of sustainability and we have responsibility to keep a friendly environment. We have been working to minimize the environmental impacts during each manufacturing processes, aiming to increase the energy efficiency of our company.

CONCEPT AND OBJECTIVE.

Inheriting German scientific and rigorous manufacturing process, optimized large automatic production equipment, accurate 6S quality management system, dozens of processes are carefully crafted, Welleader only manufacture qualified shower enclosures.

THE IMPLEMENTATION OF THE TESTING STAND.


EUROPEAN STANDARD.

- EN14428 Shower enclosures Functional requirements and test methods
- EN14527 Shower trays for domestic purposes
- EN15200 Sanitary appliances-Multifunction shower cabinets
- EN60335-105 Particular requirements for multifunctional shower cabinets
- EN14516 Baths for domestic purposes


GLASS AUTHENTICATION SYSTEM.




GLASS TEST SYSTEM.




ALUMINUM TEST SYSTEM.



PULLEY TEST SYSTEM.



HARDWARE TEST SYSTEM.



WHOLE PRODUCT TEST SYSTEM.



PRODUCTION EQUIPMENT.

In order to improve product quality and delivery speed, Weichen has introduced advanced CNC production equipment from abroad. Effectively reduce the system resource occupation, improve work efficiency.....



Hole puncher



Combination punch



Combination punch




CNC double bed cutting machine



CNC Sealing Robot



Fully automated production line



Group drill



Bending & drill machine



Angle cutting machine



Aluminum packing machine



Drilling machine

CONTENT.

L bracket /SERIES	08-11	007 /SERIES	40-41	006 /SERIES	70-71	009 /SERIES	106-107
NF /SERIES	12-17	T /SERIES	42-45	005 /SERIES	72-79	RV /SERIES	108-111
027 /SERIES	18-21	TP /SERIES	46-49	TB /SERIES	80-83	001 /SERIES	112-113
020 /SERIES	22-23	M /SERIES	50-54	P /SERIES	84-85	WA /SERIES	114
021 /SERIES	24-25	MB /SERIES	54-55	NWL /SERIES	86-87	RV-110 /SERIES	115
022 /SERIES	26-29	U /SERIES	56-59	F /SERIES	88-91	BS /SERIES	116-117
023 /SERIES	30-31	UP /SERIES	60-61	FC /SERIES	92-93	77 /SERIES	118-121
024 /SERIES	32-33	R /SERIES	62-63	FCA /SERIES	94-97	84 /SERIES	122-123
025 /SERIES	34-37	SR /SERIES	64-67	DZ /SERIES	98-101	W /SERIES	124-125
026 /SERIES	38-39	Z /SERIES	68-69	008 /SERIES	102-105		



L bracket / SERIES



DF123
 Glass Thickness : 6mm/8mm
 Width : 1000-1400mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm



DF333

Glass Thickness : 6mm/8mm
 Size : 800-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm



DF533

Glass Thickness : 6mm/8mm
 Front : 1000-1200mm or customized
 Side : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm



NF /^{SERIES}



■ Character

The hidden inward folding sliding door, is not only slim in shape, but also does not take up any space inside or outside on opening and closing the door. 90° sliding door opening gets the largest entrance.

NF523

Glass Thickness : 6mm
 Size : 700- 900mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 15mm adjustment on the wall profile side



NF123


Glass Thickness : 6mm
 Size : 1000- 1400mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 15mm adjustment on the wall profile side



NF113

Glass Thickness : 6mm
 Width : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 15mm adjustment on the wall profile side





NF533

Glass Thickness : 6mm
Size : 700- 900mm or customized
Height : 1850-2000mm or customized
Adjustment : 15mm adjustment on the wall profile side



027 /^{SERIES}

■ Character

Quick-release/Quick-fit

The innovative quick-fit structure requires only inserting the rail into the connectors of the wall profile and securing it with a single screw. The installation process is straightforward and cost-effective.



027 242

Glass Thickness : 6mm
 Width : 800-1000mm or customized
 Side panel : 800-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 15mm adjustment on the each side



027 121

Glass Thickness : 6mm
 Width : 1100-1500mm or customized
 Height : 1850-2000mm or customized
 Adjustment : Total 30 mm



027 542

Glass Thickness : 6mm
 Width : 800-1000mm or customized
 Side panel : 800-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 15mm on each side



020 121


Glass Thickness : 8mm
 Width : 1000-1400mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm on each side



020 / SERIES

■ **Character**

Slim frame shower door with soft closing-25mm slim frame.



020 531

Glass Thickness : 8mm
 Front door : 1000-1400mm or customized
 Side panel : 700-900mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm on each side



021 / SERIES

Character

Premium quality 304 stainless steel pivot, easy to turn smoothly and noiselessly.



021 123

Glass Thickness : 6mm
Width : 1000-1400mm or customized
Height : 1850-2000mm or customized
Adjustment : 10mm



021 533

Glass Thickness : 6mm
Width : 1000-1400mm or customized
Side panel : 700-1000mm or customized
Height : 1850-2000mm or customized
Adjustment : 10mm



022 /^{SERIES}

■ Character

Slim frame shower door open inward and outward-27mm slim frame
Clean design without visible hinge or pivot.



022 533

Glass Thickness : 6mm
Front size : 1000-1400mm or customized
Side panel : 700-900mm or customized
Height : 1850-2000mm or customized
Adjustment : 10mm on each side



022 113

Glass Thickness : 6mm
 Width : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm adjustment on both side



022 123

Glass Thickness : 6mm
 Width : 1000-1400mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm adjustment on both side



022 523

Glass Thickness : 6mm
 Front size : 700-1000mm or customized
 Side panel : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm on each side



023 122

Glass Thickness : 8mm
 Width : 1000-2000mm or customized
 Height : 1850-2000mm or customized
 304 Stainless steel Wheel



023 /SERIES




■ Character

Featuring large silent pulleys, the shower door makes no noise when opening and closing. The stainless steel handle of the shower sliding door doubles as a towel rack, providing a place for your clothes and towels.



024 / SERIES



024 122

Glass Thickness : 8mm
 Width : 1000-2000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 15mm on each side



025 / SERIES

■ Character

Aluminum glass clamp.

Delicate bottom roller in 43x50mm, Stainless steel core+ ABS cover.



025 121

Glass Thickness : 8mm
Width : 1000-1500mm or customized
Height : 1850-2000mm or customized
Adjustment : 20mm on the wall profile



025 542

Glass Thickness : 8mm
 Size : 1000-1500mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on 1 side



025 121A

Glass Thickness : 8mm
 Width : 1000-1500mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on the wall profile






026 /^{SERIES}

■ Character

This double-sliding shower door features a soft-closing design. Its tracks and rollers are made of high-quality stainless steel, ensuring smooth and quiet opening and closing.



026 122

Glass Thickness : 8mm
Width : 1100-1600mm or customized
Height : 1850-2000mm or customized

007 / SERIES

■ Character

The sliding shower door with a soft closing, featuring an upper pulley design, opens and closes smoothly and silently.



007 121MB

Glass Thickness : 6mm/8mm
Width : 1000-1600mm or customized
Height : 1850-2000mm or customized
Adjustment : 10mm on each side



007 531

Glass Thickness : 6mm/8mm
Front size : 1000-1800mm or customized
Return panel : 700-1000mm or customized
Height : 1850-2000mm or customized
Adjustment : 10mm on each side

T / SERIES



T242

Glass Thickness : 4+5mm/5mm/6mm
 Width : 800x800 , 900x900 , 1000x1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side



■ **Character**

Soft closing sliding shower enclosure.Center opening dual sliding door design,perfect for smaller spaces,convenient to installed in corner, saving space for you, increase space utilization rate.



T121

Glass Thickness : 4mm/5mm/6mm
 Width : 1000-1600mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side





T531

Glass Thickness : 4mm/5mm/6mm
 Size : 1200-1500mm or customized
 Side panel : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side



T231

Glass Thickness : 4 mm/5mm/6mm
 Width : 800x800 , 900x900 , 1000x1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side



T542

Glass Thickness : 4mm/5mm/6mm
 Size : 800x800 , 900x900 , 1000x1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side



TP113

Glass Thickness : 4mm/5mm/6mm
 Width : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side

TP / SERIES

■ Character

This series of pivot shower doors/ enclosures has a wide range of door widths, blending seamlessly with various bathroom styles. Flexible and Adjustable Fit - This ensures compatibility with uneven walls, providing a perfect fit even in slightly misaligned spaces.



TP533

Glass Thickness : 4mm/5mm/6mm
 Front size : 1000 -1400mm or customized
 Side Panel : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side





TP523

Glass Thickness : 4mm/5mm/6mm
 Front size : 700-1000mm or customized
 Side Panel : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side



TP123

Glass Thickness : 4mm/5mm/6mm
 Width : 1000-1400mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side





M542

Glass Thickness : 6mm
 Size : 800x800 , 900x900 , 1000x1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side



■ Character

This sliding corner shower door adopts double sliding door design, providing us with more spacious entrance and exit; Modern simple design, easy to install.

M / SERIES



M242

Glass Thickness : 6mm
 Size : 800x800 , 900x900 , 1000x1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side



M142

Glass Thickness : 6mm
 Width : 1200-1600mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side



M131

Glass Thickness : 6mm
 Width : 1200-1500mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side



M121

Glass Thickness : 6mm
 Width : 1000-1500mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side



M531

Glass Thickness : 6mm
 Width : 1200-1600mm or customized
 Side panel : 700-1000mm or customized
 Height : 1850-2000mm
 Adjustment : 20mm on each side



MB123

Glass Thickness : 4mm
 Width : 800-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side



MB / SERIES

■ **Character**

Corner Shower Door,streamlined curved design, fully using the bathroom's corner space. Premium rollers gliding effortlessly in whisper-quiet motion.



MB533

Glass Thickness : 4mm
 Front size : 700-1000mm or customized
 Side panel : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side



U142

Glass Thickness : 6mm/8mm
 Width : 1200-1600mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 25mm on each side



U / SERIES



U121

Glass Thickness : 6mm/ 8mm
 Width : 1000-1600mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 25mm on each side





U110

Glass Thickness : 6mm/8mm
 Size : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 25mm on each side



U531

Glass Thickness : 6mm/8mm
 Front size : 1000-1600mm or customized
 Side panel : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 25mm on each side



U242

Glass Thickness : 6mm/8mm
 Size : 800x800 , 900x900 , 1000x1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 25mm on each side



UP / SERIES

UP123

Glass Thickness : 6mm/8mm
 Width : 1000-1400mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 25mm on each side



UP533

Glass Thickness : 6mm/8mm
 Front size : 1000-1400mm or customized
 Side panel : 700-1000mm or customized
 Height : 1850- 2000mm or customized
 Adjustment : 25mm on each side





R121

Glass Thickness : 8mm
 Width : 1100-1600mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm on each side



R / SERIES

■ Character

Economic series with aluminum guide and plastic rollers.



R531

Glass Thickness : 8mm
 Size : 800x1000 , 800x1200 , 900x1200 , 900x1400mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm on the wall profile
 6463 Aluminum guide rail




SRF531

Glass Thickness : 6mm/8mm/10mm
 Front size : 1100-1600mm or customized
 Side panel : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Guide : stainless steel



Soft closing



SR / SERIES

■ **Character**

Single sliding shower door, with optional soft closing system, suitable for the needs of more customers. Large solid stainless steel rollers creating a quiet, smooth and effortless sliding.



SRF121

Glass Thickness : 6mm/8mm/10mm
 Front size : 1000-1850mm or customized
 Height : 1850-2000mm or customized
 Guide : stainless steel with buffer



SRY121

Glass Thickness : 6mm/8mm/10mm
 Width : 1100-1600mm or customized
 Height : 1850-2000mm or customized
 Guide : stainless steel



Soft closing



SRZ121

Glass Thickness : 6mm/8mm/10mm
 Width : 1100-1600mm or customized
 Height : 1850-2000mm or customized
 Guide : stainless steel

■ **Character**

Triple linkage sliding door,maximizes the glass area, allowing for an abundance of natural light to fill your space,making your space feel more spacious and inviting.



Z531

Glass Thickness : 5mm/6mm
Front size : 1000-1800mm or customized
Side panelm : 700-1000mm or customized
Heightm : 1850-2000mm or customized
adjustment : 15mm on each side



Z132

Glass Thickness : 5mm/6 mm
Width : 1000-1800mm or customized
Height : 1850-2000mm or customized
Adjustment : 15mm on each side





006 532

Glass : 8mm /10mm
 Length : 1000-1850mm or customized
 Width : 700-1000mm or customized
 Height : 1850-2000mm or customized




006 /^{SERIES}



006 122

Glass : 8mm /10mm
 Width : 1100-1600mm or customized
 Height : 1850-2000mm or customized

005 / SERIES



■ **Character**
25mm wide super narrow profile, more elegant.
Premium rollers gliding effortlessly in whisper-quiet motion.

005 544

Glass Thickness : 6mm
Size : 800x800 , 900x900 , 1000x1000mm or customized
Height : 1850-2000mm or customized
Adjustment : 20mm



005 123

Glass Thickness : 6mm
 Width : 1000-1400mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm



005 123H

Glass Thickness : 6mm
 Width : 1000-1400mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm




005 533A

Glass Thickness : 6mm
 Size : 800x800 , 900x900 , 1000x1000mm or customized
 Height : 1850- 2000mm or customized
 Adjustment : 20mm



005 533H

Glass Thickness : 6mm
 Width : 1000-1400mm or customized
 Side panel : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm



005 533

Glass Thickness : 6mm
 Width : 1000-1400mm or customized
 Side panel : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm



005 523

Glass Thickness : 6mm
 Width : 700-900mm or customized
 Side panel : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm



005 113

Glass Thickness : 6mm
 Width : 700-900mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm





TB / SERIES



■ Character

The sturdy and durable stainless steel hinges offer whisper-quiet and buttery-smooth operation. Crafted with stainless steel handles to elevate the product style

TB123

Glass Thickness : 6mm/8mm
 Width : 1000-1600mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 15mm on each side




TB123D

Glass Thickness : 6mm/8mm
 Width : 1000-1600mm or customized
 Height : 1850-2000mm or customized
 Stainless steel wall bracket



TB533A

Glass Thickness : 6mm/8mm
 Size : 700x1000 , 800x1000 , 800x1200 , 900x1200 ,
 900x1400mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 15mm on each side



TB544

Glass Thickness : 6mm/8mm
 Size : 800x800 , 900x900 , 1000x1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 15mm on each side



P133

Glass Thickness : 6mm/8mm
 Width : 1400-1800mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm on each side



P / SERIES

■ **Character**

304 stainless steel hinge.
 Ultra-slim 10×20mm support bar / 95×55mm compact
 and precision-crafted hinge



P533

Glass Thickness : 6mm/8mm
 Front Size : 1000-1600mm or customized
 Side panel : 700-1000 or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm on each side



P123

Glass Thickness : 6mm/8mm
 Width : 1000-1600mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm on each side



NWL123

Glass Thickness : 5mm/ 6mm
 Width : 800-1200mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each size , 120mm or customized on door size



■ Character

Large adjustment in 120mm .

NWL / SERIES



NWL533

Glass Thickness : 5mm/ 6mm
 Width : 800-1200mm or customized
 Side pane : 700-1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each size , 120mm or customized on door size



F / SERIES

■ Character

L shape handle of the shower pivot door doubles as a towel rack, providing a place for your clothes and towels.





F523

Glass Thickness : 6mm
 Size: 800-1000mm or customized
 Hight : 1850-2000 mm or customized
 Atjustment : 20mm on each side



F544

Glass Thickness : 6mm
 Size: 800-1000mm or customized
 Hight : 1850-2000 mm or customized
 Atjustment : 20mm on each side





FC524

Glass Thickness : 6mm
 Size : 700x700 , 800x800 , 900x900mm or customized
 Height : 1850- 2000mm or customized
 Adjustment : 15mm on each size



FC113

Glass Thickness : 6mm
 Width : 700-900mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 15mm on each size



FC124

Glass Thickness : 6mm
 Width : 800-1200mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 15mm on each size

FC / SERIES



FC523

Glass Thickness : 6mm
 Front size : 700-900mm or customized
 Side panel : 700-900mm or customized
 Height(mm) : 1850-2000mm or customized
 Adjustment : 15mm on each size



FCA / SERIES

■ Character

Nothing mounted to the floor, no thresholds or door guides;Folds flat to the wall when not in use.



FCA124

Glass Thickness : 6mm
 Width : 800-1400mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 15mm on each size





FCA544

Glass Thickness : 6mm
 Size : 800x800 , 900x900 , 1000x1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 15mm on each size



FCA534

Glass Thickness : 6mm
 Width : 800-1400mm or customized
 Size panel : 700-900mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 15mm on each size



DZ533G

Glass Thickness : 6mm
 Size : 800x800 , 900x900 , 1000x1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each size



DZ / SERIES

■ **Character**

L shape handle of the shower pivot door doubles as a towel rack, providing a place for your clothes and towels.





DZ333

Glass Thickness : 6mm
 Size : 800x800 , 900x900 , 1000x1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each size



DZ533

Glass Thickness : 6mm
 Size : 700x1000 , 800x1000 , 800x1200 , 900x1200 ,
 900x1400mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each size



DZ233

Glass Thickness : 6mm
 Size : 800x800 , 900x900 , 1000x1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each size



DZ533RG

Glass Thickness : 6mm
 Size : 800x800 , 900x900 , 1000x1000mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each size



008 113

Glass Thickness : 6mm/8mm/10mm/12mm
 Width : 700-1000mm or customized
 Height : 1850-2000mm or customized



008 124

Glass Thickness : 6mm/8mm/10mm/12mm
 Width : 800-1600mm or customized
 Height : 1850-2000mm or customized



008 / SERIES

■ Character

The frameless swing hinge shower door offers reversible installation, allowing for both left or right-side opening. Dual pivot hinges allow the door to open 90 degrees outward, providing smooth and wide access



008 523

Glass Thickness : 6mm/8mm/10mm/12mm
 Width : 700-1000mm or customized
 Side panel : 700-1000mm or customized
 Height : 1850-2000mm or customized



008 533A

Glass Thickness : 6mm/8mm/10mm/12mm
 Size : 700x1000 , 800x1000 , 800x1200 , 900x1200 ,
 900x1400mm or customized
 Height : 1850-2000mm or customized



008 333

Glass Thickness : 6mm/8mm/10mm/12mm
 Size : 700x700 , 800x800 , 900x900 , 1000X1000mm
 or customized
 Height : 1850-2000mm or customized





009 / SERIES

009 123

Glass Thickness : 6mm/8mm/10mm
 Width : 800-1600mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm



009 123A MB

Glass Thickness : 6mm/8mm/10mm
 Width : 800-1600mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm



009 533

Glass Thickness : 6mm/8mm/10mm
 Size : 700x1000 , 800x1000 , 800x1200 , 900x1200 ,
 900x1400mm or customized
 Height : 1850-2000mm or customized;
 Adjustment : 20mm



009 543MB

Glass Thickness : 6mm/8mm/10mm
 Size : 700x1000 , 800x1000 , 800x1200 , 900x1200 ,
 900x1400mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 20mm on each side





RV533-1

Glass Thickness : 6mm/8mm
 Front : 1000-1200mm or customized
 Side panel : 700-1200mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm on each side



RV113-1

Glass Thickness : 6mm/8mm
 Width : 700-900mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm on each side



RV523-1

Glass Thickness : 6mm/8mm
 Front : 700-900mm or customized
 Side panel : 700-900mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm on each side

RV / SERIES

■ Character

Clear glass with printing lines or aluminum grid on front and silk-screen print lines on glass.



RV533

Glass Thickness : 6mm/8mm
 Front : 1000-1200mm or customized
 Side panel : 700-1200mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm on each side



RV123

Glass Thickness : 6mm/8mm
 Width : 1000-1200mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm on each side




RV523

Glass Thickness : 6mm/8mm
 Front : 700-900mm or customized
 Side panel : 700-900mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm on each side



RV113

Glass Thickness : 6mm/8mm
 Width : 700-900mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm on each side



■ **Character**

Walk-in , can be configured with various colours of aluminium frames : brushed gunmetal , brushed gold , brushed rose gold etc. And various types of glass : reed , frosted , tinted , chinchilla etc. Suitable for all kind of bathrooms.

Available for : aluminium frames , silk-screen , aluminium slot on glass .



Brushed gold



Brushed graphite



Rose gold



Chrome



Matte black

001 / SERIES

001

Glass Thickness : 6mm/8mm
Width : 700-1600mm or customized
Height : 1850-2000mm or customized
adjustment : 10mm



WA / SERIES

WA05

Glass Thickness : 6mm/8mm
 Width : 600-1600mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm



WA15

Glass Thickness : 6mm/8mm
 Width : 600-1600mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm

RV- 110 / SERIES



RV110

Glass Thickness : 6mm/8mm
 Width : 700-1200mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm



RV110-1


Glass Thickness : 6mm/8mm
 Width : 700-1200mm or customized
 Height : 1850-2000mm or customized
 Adjustment : 10mm

■ Character

Clear glass with printing lines or aluminum grid on front and silk-screen print lines on glass.

0011210

Glass Thickness : 6mm/8mm
 Width : 600-1600mm or customized
 Height : 1900-2000mm or customized
 Adjustment : 10mm





BS / SERIES

■ Character

Clear glass with printing lines or aluminum grid on front and silk-screen print lines on glass.



BS-RV

Glass Thickness : 6mm/8mm
 Width : 700-1000mm or customized
 Height : 1400-1600mm or customized
 Adjustment : 10mm on each side


BS02

Glass Thickness : 6mm/8mm
 Size : 1000x1400 , 1200x1400 , 1000x1500 , 1200x1500mm or customized
 Adjustment : 20mm




BS03

Glass Thickness : 6mm/8mm
 Size : 700x1400 , 800x1400 , 700x1500 , 800x1500mm or customized
 Adjustment : 20mm



BS03A

Glass Thickness : 6mm/8mm
 Size : 700x1400 , 800x1400 , 700x1500 , 800x1500mm or customized
 Adjustment : 20mm



BS08

Glass Thickness : 6mm/8mm
 Size : 1000x1400 , 1200x1400 , 1000x1500 , 1200x1500mm or customized
 Adjustment : 20mm



BS09

Glass Thickness : 6mm/8mm
 Size : 700x1400 , 800x1400 , 700x1500 , 800x1500mm or customized
 Adjustment : 20mm



77 / SERIES

■ Character

This is a fully enclosed shower room equipped with an independent drainage system, ensuring a cleaner and tidier bathroom. It integrates an overhead rain shower, a hand-held shower, and 6 adjustable body massage jets, combining aesthetic design with comfort to deliver a rejuvenating bathing experience.



AG7742

Glass Thickness : 6mm
 Size:1010x1010x2050mm
 6 Acupuncture Water Body Jets
 Adjustable Handheld Shower Head
 Rainfall Shower Head
 3 LED light
 Exhaust fan
 High quality SUS304 stainless steel hinge



LED Light



Exhaust fan



Shower head



Handle



Towel rack



Shower shelf



AG8413


- Glass Thickness : 6mm
- Product size: 1010x910x2050mm
- 6 Acupuncture Water Body Jets
- Adjustable Handheld Shower Head
- Rainfall Shower Head
- 3 LED light
- Exhaust fan
- High quality SUS304 stainless steel hinge



84 / SERIES

■ **Character**

This is a fully enclosed shower room equipped with an independent drainage system, ensuring a cleaner and tidier bathroom. It integrates an overhead rain shower, a hand-held shower, and 6 adjustable body massage jets, combining aesthetic design with comfort to deliver a rejuvenating bathing experience.






WR 04150

Color : Matte white Matte black Polish white Polish black
 Size : (700/800/900)x1000/1200mm
 High : 100/150mm



WP 01150

Color : Matte white Matte black Polish white Polish black
 Size : 800x800 , 900x900 , 1000x1000mm
 High : 100/150mm



WR 0470

Color : Matte white Matte black Polish white Polish black
 Size : (700/800/900)x(1000/1200)mm
 High : 70mm



WP 0170

Color : Matte white Matte black Polish white Polish black
 Size : 800x800 , 900x900 , 1000x1000mm
 High : 70mm




WQ 03150

Color : Matte white Matte black Polish white Polish black
 Size : (800/900)x(800/900/1000/1200)mm
 High : 100/150mm




WS 02150

Color : Matte white Matte black Polish white Polish black
 Size : 800x800 , 900x900 , 1000x1000mm
 High : 100/150mm



WQ 0370

Color : Matte white Matte black Polish white Polish black
 Size : (800/900)x(800/900/1000/1200)mm
 High : 70mm



WS 0270

Color : Matte white Matte black Polish white Polish black
 Size : 800x800 , 900x900 , 1000x1000mm
 High : 70mm